















**Figure 8.** Post-burn hypertrophic scar on the face

### Lasers for cylindroma

The Nd:YAG laser<sup>[40]</sup> and CO<sub>2</sub> laser<sup>[41]</sup> can be used to treat cylindroma (**Figure 9**) in the head and neck region<sup>[40,41]</sup>.



**Figure 9.** Cylindroma of the head and neck region

### Conclusion

Lasers have become a powerful tool for many procedures on the face. Proper training of the care provider along with the staff and maintaining acceptable standards in the clinic makes the process safe. The risk-benefit ratio, the usefulness and the adverse effects of the procedure should not only be kept in mind at the time of procedure but are also explained to the patient and documented in detail prior to the procedure. The safety of medical

personnel and the patient are of paramount importance and laser safety protocols should be followed every time the procedure is performed. Caution should be taken when evaluating the patient with unrealistic expectations.

### Author contributions

Both S Harsh and SB Patil contributed to the drafting of manuscript.

### Conflict of interest

The authors declare no potential conflict of interest with respect to the research, authorship, and/or publication of this article.

### References

1. Shampo MA, Kyle RA, Steensma DP. Aleksandr Prokhorov—Laser and Masers. *Mayo Clin Proc* 2011; 86(5): e33. doi: 10.4065/mcp.2011.0194.
2. Omi T, Numano K. The role of CO<sub>2</sub> laser and fractional CO<sub>2</sub> laser in dermatology. *Laser Ther* 2014; 23(1): 49–60. doi: 10.5978/islsm.14-RE-01.
3. Sorokin PP and Lankard JR Stimulated emission observed from an organic dye, chloro-aluminum phthalocyanine. *IBM J Res Develop* 1966; 10(2): 162–163. doi: 10.1147/rd.102.0162.
4. Anderson RR, Parrish JA. Selective photothermolysis: Precise microsurgery by selective absorption of pulsed radiation. *Science* 1983; 220(4596): 524–527. doi: 10.1126/science.6836297.
5. Smalley PJ. Laser safety: Risks, hazards, and control measures. *Laser Ther* 2011; 20(2): 95–106. doi:10.5978/islsm.20.95.
6. Cevenini E, Invidia L, Lescai F, Salvioli S, Tieri P, *et al.* Human models of aging and longevity. *Expert Opin Biol Ther* 2008; 8(9): 1393–1405. doi: 10.1517/14712598.8.9.1393.
7. Escoffier C, Rigal J, Rochefort A, Vasselet R, Leveque JL, *et al.* Age related mechanical properties of human skin: An in vivo study. *J Invest Dermatol* 1989; 93(3): 353–357. doi: 10.1016/0022-202X(89)90058-4.
8. Watson REB, Craven NM, Griffiths CE, Kang S, Jones CJ, *et al.* A short term screening protocol, using fibrillin-1 as reporter molecule for photoaging. *J Invest Dermatol* 2001; 116(5): 672–678. doi: 10.1046/j.1523-1747.2001.01322.x.
9. Treerichod A, Chansakulporn S, Wattapan P. Correlation between skin color evaluation by skin color scale chart and narrowband reflectance spectrophotometer. *Indian J Dermatol* 2014; 59(4): 339–342. doi: 10.4103/0019-5154.135476.





